Form 3160-3 (February 2005)

#### UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0137 Expires March 31, 2007

Lease Serial No. UTU-76265 (surf) UTU-34350 (tar)

BUREAU OF LAND MANA	GEMENT		6. If Indian, Allotee or T	ribe Name
APPLICATION FOR PERMIT TO D	RILL OR REENTER		N/A	
a. Type of work: DRILL REENTER		<del></del>	7 If Unit or CA Agreement Little Canyon Unit	
	Single Zone Mu	tiple Zone	8. Lease Name and Well LCU 7-9H	No.
Dominion Exploration & Production, Inc.				7-38075
3a. Address 14000 Quall Springs Parkway, Suite 600 Oklahoma City, OK 73134	b. Phone No. (include area code) 405-749-5263		10. Field and Pool, or Expl	under grate
1 1 1 manufactor with (PPV)	State requirements 1 39.00	78955	11. Sec., T. R. M. or Blk. a	
4. Location of Well (Report location clearly and in accordance with City At surface 2974 × 2,624' FSL, 1,404' FEL, NW/4 SE/4 At proposed prod. zone 1,900' FNL, 1,950' FEL, SW/4 NE/4	612811X 39.873 44142744 109.	1908 680900	Section 9, T11S, I	13. State
14. Distance in miles and direction from nearest town or post office*  14.76 miles south of Ouray, Utah			12. County or Parish Uintah	UT
15 Distance from proposed*	16. No. of acres in lease	17. Spacis	ng Unit dedicated to this wel	1
location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any)  32'	640 acres	20 BLM	BIA Bond No. on file	
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft.  25'	19. Proposed Depth 9,000' (9,093' MD)	<b>\</b>	63050 0330	
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 5,579' GR	22. Approximate date work wi 08/15/2006	li start*	23 Estimated duration 14 days	
	24. Attachments			
The following, completed in accordance with the requirements of Onsho	ore Oil and Gas Order No.1, must	be attached to	this form: ions unless covered by an e	existing bond on file (see
<ol> <li>Well plat certified by a registered surveyor.</li> <li>A Drilling Plan.</li> <li>A Surface Use Plan (if the location is on National Forest System SUPO must be filed with the appropriate Forest Service Office).</li> </ol>	item 20 ab	ove). estification	nformation and/or plans as	
25. Signature Hamilton	Name (Printed/Typed)  Don Hamilton			Date 04/28/2006

Title Agent for Dominion

Name (Printed/Typed) BRADLEY G. HILL OFFICENVIRONMENTAL MANAGER


Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*(Instructions on page 2)

Federal Approval of this Action is Necessary





## **United States Department of the Interior**

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155

Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

May 8, 2006

#### Memorandum

To:

Assistant District Manager Minerals, Vernal District

From:

Michael Coulthard, Petroleum Engineer

Subject:

2006 Plan of Development Little Canyon Unit Uintah County,

Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following wells are planned for calendar year 2006 within the Little Canyon Unit, Uintah County, Utah.

API#

WELL NAME

LOCATION

(Proposed PZ MesaVerde)

```
43-047-38073 LCU 1-01H Sec 1 T11S R20E 0521 FNL 0791 FEL

43-047-38075 LCU 7-09H Sec 9 T11S R20E 2624 FSL 1404 FEL
BHL Sec 9 T11S R20E 1900 FNL 1950 FEL

43-047-38074 LCU 9-09H Sec 9 T11S R20E 2608 FSL 1387 FEL
BHL Sec 9 T11S R20E 1980 FSL 0660 FEL

43-047-38070 LCU 12-35F Sec 35 T10S R20E 2132 FSL 0714 FWL
43-047-38071 LCU 15-35F Sec 35 T10S R20E 0588 FSL 2186 FEL
43-047-38069 LCU 8-35F Sec 35 T10S R20E 0578 FSL 0485 FEL
43-047-38069 LCU 8-35F Sec 35 T10S R20E 1880 FNL 0630 FEL
```

This office has no objections to permitting the wells at this time.

/s/ Michael L. Coulthard



300 E. Mineral Ave., Suite 10 Littleton, CO 80122-2631 303/781-8211 303/781-1167 Fax

April 28, 2006

Fluid Minerals Group Bureau of Land Management Vernal Field Office 170 South 500 East Vernal, Utah 84078

RE: Application for Permit to Drill-Dominion Exploration & Production, Inc.

LCU 7-9H:

Surface Location: 2,624' FSL, 1,404' FEL, NW/4 SE/4 Target Location: 1,900' FNL, 1,950' FEL, SW/4 NE/4

Section 9, T11S, R20E, SLB&M, Uintah County, Utah

Dear Fluid Minerals Group:

On behalf of Dominion Exploration & Production, Inc. (Dominion), Buys & Associates, Inc. respectfully submits the enclosed original and three copies of the Application for Permit to Drill (APD) for the above referenced BLM administered directional well. A request for exception to spacing (R649-3-11) is hereby requested based on topography since the well is located within 460' of the drilling unit boundary. Dominion Exploration & Production, Inc. is the only owner and operator within 460' of the proposed well and all points along the intended well bore path. Included with the APD is the following supplemental information:

Exhibit "A" - Survey plats, layouts and photos of the proposed well site;

Exhibit "B" - Proposed location maps with access and utility corridors;

Exhibit "C" - Production site layout;

Exhibit "D" - Drilling Plan;

Exhibit "E" - Surface Use Plan;

Exhibit "F" - Typical BOP and Choke Manifold diagram.

Please accept this letter as Dominion's, written request for confidential treatment of all information contained in and pertaining to this application.

Thank you very much for your timely consideration of this application. Please feel free to contact myself or Carla Christian of Dominion at 405-749-5263 if you have any questions or need additional information.

Sincerely,

Don Hamilton

Ken Secrest, Dominion

Agent for Dominion

cc: Diana Whitney, Division of Oil, Gas and Mining Carla Christian, Dominion

RECEIVED

MAY 0 3 2006

DIV. OF OIL, GAS & MINING



#### **DRILLING PLAN**

#### APPROVAL OF OPERATIONS

#### **Attachment for Permit to Drill**

Name of Operator:

**Dominion Exploration & Production** 

Address:

14000 Quail Springs Parkway, Suite 600

Oklahoma City, OK 73134

Well Location:

LCU 7-9H

SHL: 2624' FSL & 1404' FEL Section 9-11S-20E

BHL: 1900' FNL & 1950' FEL Section 9-11S-20E

Uintah County, UT

. GEOLOGIC SURFACE FORMATION

Uintah

#### 2. <u>ESTIMATED DEPTHS OF IMPORTANT GEOLOGIC MARKERS</u>

<u>Formation</u>	<u>Depth</u>
Wasatch Tongue	3,600'
Green River Tongue	3,930'
Wasatch	4,070'
Chapita Wells	4,920'
Uteland Buttes	6,070
Mesaverde	6,840'

#### 3. ESTIMATED DEPTHS OF ANTICIPATED WATER. OIL, GAS OR MINERALS

<u>Formation</u>	<u>Depth</u>	<u>Type</u>
Wasatch Tongue	3,600'	Oil
Green River Tongue	3,930'	Oil
Wasatch	4,070'	Gas
Chapita Wells	4,920'	Gas
Uteland Buttes	6,070'	Gas
Mesaverde	6,840'	Gas

#### 4. PROPOSED CASING PROGRAM

All casing used to drill this well will be new casing.

<u>Type</u>	Size	Weight	<u>Grade</u>	Conn.	<u>Top</u>	<u>Bottom</u>	<u>Hole</u>
Surface	13-3/8"	48.0 ppf	H-40	STC	0,	500'	17-1/2"
Intermediate	9-5/8"	36.0 ppf	J-55	LTC	0,	2,800'	12-1/4"
Production	5-1/2"	17.0 ppf	MAV-80	LTC	0,	9,000'	7-7/8"

## 5. OPERATOR'S MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL

Surface hole: No BOPE will be utilized.

Intermediate hole: To be drilled using a diverter stack with rotating head to divert flow from rig floor.

<u>Production hole</u>: Prior to drilling out the intermediate casing shoe, 3,000 psi or greater BOP equipment will be installed. The pipe rams will be operated at least once per day from surface to total depth. The blind rams will be tested once per day from surface to total depth if operations permit.

#### **DRILLING PLAN**

#### APPROVAL OF OPERATIONS

A diagram of the planned BOP equipment for normal drilling operations in this area is attached. As denoted there will be two valves and one check valve on the kill line, two valves on the choke line, and two adjustable chokes on the manifold system. The BOP "stack" will consist of two BOP rams (1 pipe, 1 blind) and one annular type preventer, all rated to a minimum of 3,000 psi working pressure.

The BOP equipment will be pressure tested prior to drilling out surface casing shoe and anytime a new casing string is set..

All test pressures will be maintained for fifteen (15) minutes without any significant pressure decrease. Clear water will be circulated into the BOP stack and lines prior to pressure testing. The following test pressures will be used as a minimum for various equipment items.

1.	Annular BOP	1,500 psi
2.	Ram type BOP	3,000 psi
3.	Kill line valves	3,000 psi
4.	Choke line valves and choke manifold valves	3,000 psi
5.	Chokes	3,000 psi
6.	Casing, casinghead & weld	1,500 psi
7.	Upper kelly cock and safety valve	3,000 psi
8.	Dart valve	3,000 psi

#### MUD SYSTEMS

- An air or an air/mist system may be used to drill to drill the surface hole until water influx becomes too great.
- KCL mud system will be used to drill well.
- The mud system will be monitored manually/visually.

Depths	Mud Weight (ppg)	Mud System
0' - 500'	8.4	Air foam mist, no pressure control
500' - 2,800'	8.6	Fresh water, rotating head and diverter
2,800' - 9,000'	8.6	Fresh water/2% KCL/KCL mud system

#### 7. BLOOIE LINE

- An automatic igniter will not be installed on blooie line. The blooie will have a contant ignition source.
- A "target tee" connection will be installed on blooie line for 90° change of directions for abrasion resistance.
- "Target tee" connections will be a minimum of 50' from wellhead.
- The blooie line discharge will be a minimum of 80' from the wellhead.

#### 8. AUXILIARY EQUIPMENT TO BE USED

- a. Kelly cock.
- b. Full opening valve with drill pipe connection will be kept on floor. Valve will be used when the kelly is not in string.

#### 9. TESTING. LOGGING, AND CORING PROGRAMS TO BE FOLLOWED

- A drillstem test in the Wasatch Tongue is possible.
- One electric line wire-log will be run from total depth to intermediate casing.
- The gamma ray will be left on to record from total depth to intermediate casing.
- Other log curves (resistivities, porosity, and caliper) will record from total depth to intermediate casing.
- A dipmeter, percussion cores, or rotary cores may be run over selected intervals.

## 10. ANTICIPATED ABNORMAL PRESSURES OR TEMPERATURES EXPECTED

- Expected BHP 1,500-2,000 psi (lower than normal pressure gradient).
- No abnormal temperature or pressures are anticipated.
- The formations to be penetrated do not contain known H2S gas.

#### 11. WATER SUPPLY

- No water pipelines will be laid for this well.
- No water well will be drilled for this well.
- Drilling water for this will be hauled on the road(s) shown in Attachment No. 3.
- Water will be hauled from: Water Permit # 43-10447 Section 9, Township 8 South, Range 20 East

#### DRILLING PLAN

#### APPROVAL OF OPERATIONS

#### CEMENT SYSTEMS

Surface Cement:

Drill 17-1/2" hole to 500' and cement 13-3/8" to surface with 450 sks class "C" cement with 2% CaCl2 and 1/4 #/sk. Polyflake (volume includes 70% excess). Top out as necessary.

- Intermediate Casing Cement:
  - Drill 12-1/4" hole to 2,800'+, run and cement 9-5/8" to surface.
  - Pump 20 bbls lightly weighted water spacer followed by 5 bbls fresh water. Displace with any available water.
  - Casing to be run with: a) guide shoe b) insert float c) three (3) centralizers, one on each of first 3 joints d) stop ring for plug two joints off bottom e) bottom three joints thread locked f) pump job with bottom plug only.
  - Cement to surface not required due to surface casing set deeper than normal.

					<u>Hole</u>	<u>Cement</u>
Type	Sacks	Interval	<b>Density</b>	Yield Yield	<u>Volume</u>	<u>Volume</u>
Lead	300	0'-2,000'	11.0 ppg	3.82 CFS	644 CF	1,128 CF
Tail	390	2,000'-2,800'	15.6 ppg	1.18 CFS	251 CF	439 CF

Intermediate design volumes based on 75% excess of gauge hole.

Halliburton Prem Plus V blend. Blend includes Class "C" cement, gel, salt, gilsonite, EX-1 and HR-7. Lead Mix:

11.00 #/gal. Slurry weight: Slurry yield: 3.82 cf/sack

22.95 gal/sack Water requirement: Compressives @ 130°F: 157 psi after 24 hours

Class "G" Cement, 1/4 lb/sk Cellophane Flakes + 2% bwoc Calcium Chloride + 44.3% fresh water. Tail Mix:

Llala

1 hr. 5 min. (a), 90 °F. Pump Time: Compressives (a) 95 °F: 24 Hour is 4,700 psi

c. Production Casing Cement:

- Drill 7-7/8" hole to 9,000'±, run and cement 5 1/2".
- Pump 20 bbl Mud Clean II unweighted spacer, followed by 20 Bbls fresh H20 spacer.
- Displace with 2% KCL.

					HOIC	Cement
Type	Sacks	Interval	<b>Density</b>	<u>Yield</u>	<u>Volume</u>	<u>Volume</u>
Lead	60	3,270'-4,070'	11.5 ppg	3.12 CFS	139 CF	18 <b>7</b> CF
Tail	540	4,070'-9,000'	13.0 ppg	1.75 CFS	700 CF	945 CF

Production design volumes based on 35% excess of gauge hole. Actual volumes will be calculated from caliper log to bring lead cement to 800' above top of Wasatch + 15% excess, and tail cement to top of Wasatch +15%.

Halliburton Prem Plus V blend. Blend includes Class "C" cement, gel, salt, gilsonite, EX-1 and HR-7. Lead Mix:

Slurry weight: 11.60 #/gal. Slurry yield: 3.12 cf/sack

17.71 gal/sack Water requirement: Compressives (a) 130°F: 157 psi after 24 hours

Halliburton HLC blend (Prem Plus V/JB flyash). Blend includes Class "G" cement, KCl, EX-1, Halad 322, Tail Mix:

& HR-5.

Slurry weight: 13.00 #/gal. Slurry yield: 1.75 cf/sack Water requirement: 9.09 gal/sack

Compressives @ 165°F: 905 psi after 24 hours

#### 13. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS

August 15, 2006 Starting Date:

14 Days Duration:

Dominion E&P SITE DETAILS Azimuths to True North Magnetic North: 11,78\* Field: Uintah County, UT Site: LCU 7-9H Well: Well #7-9H Wellpath: Original Hole Centre Latitude: 39°52'28.850N Longitude: 109°40'48.200W Ground Level: 5579.00 nel Uncertainty: 0.00 Convergence: 1.17 Plan: Plan #1 0-KOP, Build 3°/100' 1000 500 11° 920 MD Start Hold 800 1000 PBHL South(-)/North(+) [500f/in 1500-600 2000 327° 400 2500-200 3000-Wasatch Tongue 0 3500-True Vertical Depth [1500f/in] **Green River Tonque** -200 4000 -400 -200 200 -800 -600 Wasatch West(-)/East(+) [500ft/in] 4500 Chapita Wells 5000 11° 5650 MD Start Drop -2.50 TARGET DETAILS 5500 TVD +N/-S +E/-W Shape 0° 6093 MD Start Hold PBHL 826,10 -542.47 9000.00 6000 **Uteland Buttes** 6500-FIELD DETAILS Uintah County, UT Utah - Natural Buttes USA 7000 Mesaverde REFERENCE INFORMATION ce: Site Centre LCU 7-9H, True North ce: SITE @ 5600.0 (est. KB) 0.00 ce: Site Centre (0.00N,0.00E) ce: SITE @ 5600.0 (est. KB) 0.00 cd: Minimum Curvature ite Plane Coordinate System 1983 7500 8000 8500 9000-WELL DETAILS **PBHL** 9500-2151146.16 39\*52'28.850N 109\*40'48.200W 500 1000 1500 2000 2500 Vertical Section at 326.71° [1500ft/in] SECTION DETAILS FORMATION TOP DETAILS MD TVD +N/-S +E/-W DLeg TFace VSec Target 0.00 0.00 326.71 0.00 180.00 0.00 0.00 0.00 35.66 945.49 988.29 988.29 No. TVDPath MDPath Formation 0.00 0.00 3.00 0.00 2.50 0.00 3600.00 3930.00 4070.00 4920.00 6070.00 6840.00 3653.35 3969.63 4132.29 4996.47 6163.39 6933.39 Wasatch Tongue Green River Tongue Wasatch Chapita Wells Uteland Buttes 



## **Ryan Energy Technologic Planning Report**



Page:

Company: Dominion E&P Uintah County, UT Field: Site:

LCU 7-9H Well #7-9H Wellpath: Original Hole

Time: 15:41:39 4/18/2006 Date:

Co-ordinate(NE) Reference: Site: LCU 7-9H, True North SITE @ 5600.0 (est. KB) 0.0 Site (0.00N,0.00E,326.71Azi) Vertical (TVD) Reference:

Section (VS) Reference: Plan #1 Plan:

Well:

Uintah County, UT

**Utah - Natural Buttes** 

USA

Map System:US State Plane Coordinate System 1983

Geo Datum: GRS 1980 Sys Datum: Mean Sea Level Map Zone:

Utah, Central Zone

Coordinate System: Geomagnetic Model: Site Centre igrf2005

Site:

LCU 7-9H

Sec 9, T11S, R20E

Unitah County, UT Site Position:

Geographic **Position Uncertainty:** 

0.00 ft 5579.00 ft

7128286.95 ft Northing: 2151146.16 ft Easting:

Latitude: Longitude:

39 52 28.850 N 109 40 48.200 W

North Reference: **Grid Convergence:** 

True 1.17 deg

Well:

**Ground Level:** 

Well Position:

**Current Datum:** 

Magnetic Data:

Field Strength:

**Vertical Section:** 

From:

Well #7-9H

+N/-S

0.00 ft Northing: 0.00 ft Easting:

7128286.95 ft

0.00 ft

Slot Name: Latitude:

39 52 28.850 N

+E/-W **Position Uncertainty:** 

2151146.16 ft

Longitude:

109 40 48.200 W

Wellpath: Original Hole

0.00 ft

**Drilled From:** 

0.00

Surface Tie-on Depth:

**Above System Datum:** Declination: Mag Dip Angle:

0.00 ft Mean Sea Level 11.78 deg 65.86 deg Direction

Depth From (TVD)

4/18/2006

SITE @ 5600.0 (est. KB)

52804 nT

+N/-S ft 0.00

Height

+E/-W ft

deg 326.71

0.00

Date Composed: Version:

4/18/2006

Principal: Yes

Pian:

Tied-to:

From Surface

#### Dian Section Information

Plan #1

Pian Section	I IIIIVI IIIAU	OH								
MD	Incl	Azim	TVD	+N/-S	+E/-W	DLS	Build	Turn	TFO	Target
ft	deg	deg	ft	ft	ft	deg/100ft	deg/100ft	deg/100ft	deg	
0.00	0.00	326.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	PBHL
550.00	0.00	326.71	550.00	0.00	0.00	0.00	0.00	0.00	0.00	
919.66	11.09	326.71	917.36	29.81	-19.58	3.00	3.00	0.00	326.71	
5649.80	11.09	326.71	5559.17	790.33	-518.98	0.00	0.00	0.00	0.00	
6093.39	0.00	326.71	6000.00	826.10	-542.47	2.50	-2.50	0.00	180.00	
9093.39	0.00	326.71	9000.00	826.10	-542.47	0.00	0.00	0.00	0.00	

#### Survey

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	Tool/Comment
0.00	0.00	326.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
100.00	0.00	326.71	100.00	0.00	0.00	0.00	0.00	0.00	0.00	
200.00	0.00	326.71	200.00	0.00	0.00	0.00	0.00	0.00	0.00	
300.00	0.00	326.71	300.00	0.00	0.00	0.00	0.00	0.00	0.00	
400.00	0.00	326.71	400.00	0.00	0.00	0.00	0.00	0.00	0.00	
500.00	0.00	326.71	500.00	0.00	0.00	0.00	0.00	0.00	0.00	
550.00	0.00	326.71	550.00	0.00	0.00	0.00	0.00	0.00	0.00	KOP, Build 3°/100'
600.00	1.50	326.71	599.99	0.55	-0.36	0.65	3.00	3.00	0.00	
700.00	4.50	326.71	699.85	4.92	-3.23	5.89	3.00	3.00	0.00	
800.00	7.50	326.71	799.29	13.66	-8.97	16.34	3.00	3.00	0.00	
900.00	10.50	326.71	898.04	26.73	-17.55	31.98	3.00	3.00	0.00	
919.66	11.09	326.71	917.36	29.81	-19.58	35.66	3.00	3.00	0.00	
1000.00	11.09	326.71	996.20	42.73	-28.06	51.12	0.00	0.00	0.00	
1100.00	11.09	326.71	1094.33	58.81	-38.62	70.35	0.00	0.00	0.00	
1200.00	11.09	326.71	1192.46	74.88	-49.17	89.59	0.00	0.00	0.00	



## Ryan Energy Technologie **Planning Report**



Page:

2

Field: Site:

Well:

Company: Dominion E&P Uintah County, UT

LCU 7-9H Well #7-9H Wellpath: Original Hole Date: 4/18/2006 Time: 15:41:39 Co-ordinate(NE) Reference: Site: LCU 7-9H, True North

Plan:

Vertical (TVD) Reference: SITE **Q** 5600.0 (est. KB) 0.0 Section (VS) Reference: Site (0.00N,0.00E,326.71Azi)

Plan #1

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100f	Turn t deg/100ft	Tool/Comment
						108.82	0.00	0.00	0.00	
1300.00	11.09	326.71	1290.59	90.96				0.00	0.00	
1400.00	11.09	326.71	1388.73	107.04	-70.29	128.06	0.00			
1500.00	11.09	326.71	1486.86	123.12	-80.85	147.29	0.00	0.00	0.00	
1600.00	11.09	326.71	1584.99	139.20	-91.41	166.52	0.00	0.00	0.00	
1700.00	11.09	326.71	1683.12	155.27	-101.96	185.76	0.00	0.00	0.00	
1800.00	11.09	326.71	1781.26	171.35	-112.52	204.99	0.00	0.00	0.00	
1900.00	11.09	326.71	1879.39	187.43	-123.08	224.23	0.00	0.00	0.00	
2000.00	11.09	326.71	1977.52	203.51	-133.64	243.46	0.00	0.00	0.00	
2100.00	11.09	326.71	2075.66	219.59	-144.19	262.70	0.00	0.00	0.00	
2200.00	11.09	326.71	2173.79	235.66	-154.75	281.93	0.00	0.00	0.00	
0000 00	44.00	326.71	2271.92	251.74	-165.31	301.17	0.00	0.00	0.00	
2300.00	11.09			267.82	-105.87	320.40	0.00	0.00	0.00	
2400.00	11.09	326.71	2370.05							
2500.00	11.09	326.71	2468.19	283.90	-186.43	339.64	0.00	0.00	0.00	
2600.00	11.09	326.71	2566.32	299.98	-196.98	358.87	0.00	0.00	0.00	
2700.00	11.09	326.71	2664.45	316.06	-207.54	378.11	0.00	0.00	0.00	
2800.00	11.09	326.71	2762.58	332.13	-218.10	397.34	0.00	0.00	0.00	
2900.00	11.09	326.71	2860.72	348.21	-228.66	416.58	0.00	0.00	0.00	
3000.00	11.09	326.71	2958.85	364.29	-239.22	435.81	0.00	0.00	0.00	
3100.00	11.09	326.71	3056.98	380.37	-249.77	455.05	0.00	0.00	0.00	
3200.00	11.09	326.71	3155.12	396.45	-260.33	474.28	0.00	0.00	0.00	
3300.00	11.09	326.71	3253.25	412.52	-270.89	493.52	0.00	0.00	0.00	
3400.00	11.09	326.71	3351.38	428.60	-281.45	512.75	0.00	0.00	0.00	
		326.71	3449.51	444.68	-292.01	531.98	0.00	0.00	0.00	
3500.00	11.09				-302.56	551.22	0.00	0.00	0.00	
3600.00	11.09	326.71	3547.65	460.76			0.00	0.00	0.00	Wasatch Tongue
3653.35	11.09	326.71	3600.00	469.34	-308.20	561.48	0.00	0.00	0.00	Hasaidi Tuliyuc
3700.00	11.09	326.71	3645.78	476.84	-313.12	570.45	0.00	0.00	0.00	
3800.00	11.09	326.71	3743.91	492.91	-323.68	589.69	0.00	0.00	0.00	
3900.00	11.09	326.71	3842.04	508.99	-334.24	608.92	0.00	0.00	0.00	
3989.63	11.09	326.71	3930.00	523.40	-343.70	626.16	0.00	0.00	0.00	Green River Tongue
4000.00	11.09	326.71	3940.18	525.07	-344.79	628.16	0.00	0.00	0.00	
4100.00	11.09	326.71	4038.31	541.15	-355.35	647.39	0.00	0.00	0.00	
4132.29	11.09	326.71	4070.00	546.34	-358.76	653.60	0.00	0.00	0.00	Wasatch
4200.00	11.09	326.71	4136.44	557.23	-365.91	666.63	0.00	0.00	0.00	
		326.71	4234.57	573.30	-376.47	685.86	0.00	0.00	0.00	
4300.00 4400.00	11.09 11.09	326.71	4332.71	589.38	-387.03	705.10	0.00	0.00	0.00	
						704.00	0.00	0.00		
4500.00	11.09	326.71	4430.84	605.46	-397.58	724.33	0.00	0.00	0.00	
4600.00	11.09	326.71	4528.97	621.54	-408.14	743.57	0.00	0.00	0.00	
4700.00	11.09	326.71	4627.11	637.62	-418.70	762.80	0.00	0.00	0.00	
4800.00	11.09	326.71	4725.24	653.70	-429.26	782.04	0.00	0.00	0.00	
4900.00	11.09	326.71	4823.37	669.77	-439.82	801.27	0.00	0.00	0.00	
4998.47	11.09	326.71	4920.00	685.61	-450.21	820.21	0.00	0.00	0.00	Chapita Wells
5000.00	11.09	326.71	4921.50	685.85	-450.37	820.51	0.00	0.00	0.00	
5100.00	11.09	326.71	5019.64	701.93	-460.93	839.74	0.00	0.00	0.00	
5200.00	11.09	326.71	5117.77	718.01	-471.49	858.97	0.00	0.00	0.00	
5300.00	11.09	326.71	5215.90	734.09	-482.05	878.21	0.00	0.00	0.00	
E400 00	11.00	326,71	5314.03	750.16	-492.61	897.44	0.00	0.00	0.00	
5400.00	11.09				-503.16	916.68	0.00	0.00	0.00	
5500.00	11.09	326.71	5412.17	766.24					0.00	
5600.00	11.09	326.71	5510.30	782.32	-513.72	935.91	0.00	0.00		
5649.80	11.09	326.71	5559.17	790.33 797.95	-518.98 -523.08	945.49 954.61	0.00 2.50	0.00 -2.50	0.00 0.00	
5700.00	9.83	326.71	5608.53	797.95	-523.98	3J4.U I	2.50	-2.50	0.00	
5800.00	7.33	326.71	5707.41	810.42	-532.18	969.53	2.50	-2.50	0.00	
5900.00	4.83	326.71	5806.83	819.28	-537.99	980.13	2.50	-2.50	0.00	
		326.71	5906.63	824.51	-541.43	986.39	2.50	-2.50	0.00	
6000.00	2.33		J300.03			000.00				



## Ryan Energy Technologie **Planning Report**



Page:

Company: Dominion E&P Uintah County, UT Field: LCU 7-9H Site:

Well:

Well #7-9H Wellpath: Original Hole

Date: 4/18/2006 Time: 15:41:39
Co-ordinate(NE) Reference: Site: LCU 7-9H, True North
Vertical (TVD) Reference: SITE @ 5600.0 (est. KB) 0.0 Site (0.00N,0.00E,326.71Azi)

Section (VS) Reference: Plan:

Plan #1

Survey MD	Incl	Azim	TVD	+N/-S	+E/-W	VS	DLS	Build	Turn	Tool/Comment
MD ft	deg	deg	ft	ft	ft	ft	deg/100ft	deg/100ft	t deg/100ft	
100.00	0.00	326.71	6006.61	826.10	-542.47	988.29	0.00	0.00	0.00	
163.39	0.00	326.71	6070.00	826.10	-542.47	988.29	0.00	0.00	0.00	Uteland Buttes
3103.39 3200.00	0.00	326.71	6106.61	826.10	-542.47	988.29	0.00	0.00	0.00	
300.00	0.00	326.71	6206.61	826.10	-542.47	988.29	0.00	0.00	0.00	
	0.00	326.71	6306.61	826.10	-542.47	988.29	0.00	0.00	0.00	
6400.00		326.71 326.71	6406.61	826.10	-542.47	988.29	0.00	0.00	0.00	
500.00	0.00	320./1	0-0001	020. IU	-0-7271	550.20	0.00			
600.00	0.00	326.71	6506.61	826.10	-542.47	988.29	0.00	0.00	0.00	
5700.00	0.00	326.71	6606.61	826.10	-542.47	988.29	0.00	0.00	0.00	
6700.00 6800.00	0.00	326.71	6706.61	826.10	-542.47	988.29	0.00	0.00	0.00	
	0.00	326.71	6806.61	826.10	-542.47	988.29	0.00	0.00	0.00	
6900.00		326.71	6840.00	826.10	-542.47	988.29	0.00	0.00	0.00	Mesaverde
6933.39	0.00	320.1 I	JU-10.00	Q20.10	- m.¬1					
7000 00	0.00	326.71	6906.61	826.10	-542.47	988.29	0.00	0.00	0.00	
7000.00		326.71	7006.61	826.10	-542.47	988.29	0.00	0.00	0.00	
7100.00	0.00	326.71 326.71	7106.61	826.10	-542.47	988.29	0.00	0.00	0.00	
7200.00	0.00		7106.61 7206.61	826.10 826.10	-542.47 -542.47	988.29	0.00	0.00	0.00	
7300.00	0.00	326.71		826.10 826.10	-542.47 -542.47	988.29	0.00	0.00	0.00	
7400.00	0.00	326.71	7306.61	020. IU	- <del></del>	300.23	0.00	3.50	3.00	
7500.00	0.00	326.71	7406.61	826.10	-542.47	988.29	0.00	0.00	0.00	
7500.00		326.71	7506.61	826.10	-542.47	988.29	0.00	0.00	0.00	
7600.00	0.00			826.10	-542.47 -542.47	988.29	0.00	0.00	0.00	
7700.00	0.00	326.71	7606.61		-542.47 -542.47	988.29	0.00	0.00	0.00	
7800.00	0.00	326.71	7706.61	826.10	-542.47 -542.47	988.29	0.00	0.00	0.00	
7900.00	0.00	326.71	7806.61	826.10	-042.47	300.23	0.00	3.50	3.00	
9000 00	0.00	326.71	7906.61	826.10	-542.47	988.29	0.00	0.00	0.00	
8000.00	0.00	326.71	8006.61	826.10	-542.47	988.29	0.00	0.00	0.00	
8100.00	0.00	326.71	8106.61	826.10	-542.47	988.29	0.00	0.00	0.00	
8200.00	0.00	326.71	8206.61	826.10	-542.47	988.29	0.00	0.00	0.00	
8300.00		326.71	8306.61	826.10	-542.47	988.29	0.00	0.00	0.00	
8400.00	0.00	320./1	0.00.01	J2U. 1U	-U72.71	300.20	0.00			
8500.00	0.00	326.71	8406.61	826.10	-542.47	988.29	0.00	0.00	0.00	
8600.00	0.00	326.71	8506.61	826.10	-542.47	988.29	0.00	0.00	0.00	
8700.00	0.00	326.71	8606.61	826.10	-542.47	988.29	0.00	0.00	0.00	
		326.71	8706.61	826.10	-542.47	988.29	0.00	0.00	0.00	
00.0088	0.00		8806.61	826.10 826.10	-542.47	988.29	0.00	0.00	0.00	
8900.00	0.00	326.71	0.000	020.10	J72.71	JUU.EU	<b>J.00</b>		<del>-</del>	
9000.00	0.00	326.71	8906.61	826.10	-542.47	988.29	0.00	0.00	0.00	
9093.39	0.00	326.71	9000.00	826.10	-542.47	988.29	0.00	0.00	0.00	PBHL

Ts	rgets
	6

Name	Description	Dir.	TVD ft	+N/-S ft	+E/-W	Map Northing ft	Map Easting ft	< Latitude> Deg Min Sec	C— Longitude —> Deg Min Sec
PBHL	•		9000.00	826.10	-542.47	7129101.842	150586.99	39 52 37.015 N	109 40 55.159 W
-Plan hit targe	t								

Formations	Fo	rm	at	io	ns
------------	----	----	----	----	----

MD ft	TVD ft	Formations	Lithology	Dip Angle deg	Dip Direction deg
		Manatah Tangua		0.00	0.00
3653.35	3600.00	Wasatch Tongue		0.00	0.00
3989.63	3930.00	Green River Tongue		0.00	0.00
1132.29	4070.00	Wasatch			0.00
1998.47	4920.00	Chapita Wells		0.00	
163.39	6070.00	Uteland Buttes		0.00	0.00
6933.39	6840.00	Mesaverde		0.00	0.00

#### **SURFACE USE PLAN**

#### **CONDITIONS OF APPROVAL**

#### Attachment for Permit to Drill

Name of Operator: Dominion Exploration & Production

Address: 14000 Quail Springs Parkway, Suite 600

Oklahoma City, OK 73134

Well Location: LCU 7-9H

SHL: 2624' FSL & 1404' FEL Section 9-11S-20E BHL: 1900' FNL & 1950' FEL Section 9-11S-20E

Uintah County, UT

The dirt contractor will be provided with an approved copy of the surface use plan of operations before initiating construction.

The BLM onsite inspection for the referenced well was conducted on Thursday, March 16, 2006 at approximately 2:35 pm. In attendance at the onsite inspection were the following individuals:

Karl Wright Nat. Res. Prot. Spec. Bureau of Land Management – Vernal Brandon McDonald Wildlife Biologist Bureau of Land Management – Vernal

Ken Secrest Field Foreman Dominion E & P, Inc.

Brandon Bowthorpe Surveyor Uintah Engineering & Land Surveying

Brandon Bowthorpe Surveyor Uintah Engineering & Land Surveying

Brandon Bowthorpe Surveyor Uintah Engineering & Land Surveying

Randy Jackson Foreman Jackson Construction
Don Hamilton Agent Buys & Associates, Inc.

#### 1. Existing Roads:

- a. The proposed well site is located approximately 14.76 miles south of Ouray, UT.
- b. Directions to the proposed well site have been attached at the end of Exhibit B.
- c. The use of roads under State and County Road Department maintenance are necessary to access the Little Canyon Unit. However, an encroachment permit is not anticipated since no upgrades to the State or County Road system are proposed at this time.
- d. All existing roads will be maintained and kept in good repair during all phases of operation.
- e. Vehicle operators will obey posted speed restrictions and observe safe speeds commensurate with road and weather conditions.
- f. Since no improvements are anticipated to any State, County, Tribal or BLM access roads no topsoil striping will occur.
- g. An off-lease federal right-of-way is not anticipated for the access road or utility corridor since both are located within the existing Little Canyon Unit boundary.

#### 2. Planned Access Roads:

- a. From the proposed Big Pack Mountain access road an access is proposed trending south approximately 1.6 miles to the proposed well site. The access consists of entirely new disturbance and crosses no significant drainages.
- b. A road design plan is not anticipated at this time.
- c. The proposed access road will consist of a 24' travel surface within a 30' disturbed area across BLM lands.
- d. BLM approval to construct and utilize the proposed access road is requested with this application.
- e. A maximum grade of 10% will be maintained throughout the project with some minor cuts and fills and possible 13% pitch grades required to access the well.
- f. No turnouts are proposed since the access road is only 1.6 miles long and adequate site distance exists in all directions.
- g. Several low water crossings and no culverts are anticipated. Adequate drainage structures will be incorporated into the road.
- h. No surfacing material will come from federal or Indian lands.
- i. No gates or cattle guards are anticipated at this time.
- j. Surface disturbance and vehicular travel will be limited to the approved location access road.
- k. All access roads and surface disturbing activities will conform to the standards outlined in the Bureau of Land Management and Forest Service publication: <u>Surface Operating Standards for Oil and Gas Exploration and Development</u>, (1989).
- 1. The operator will be responsible for all maintenance of the access road including drainage structures.

#### 3. Location of Existing Wells:

a. Exhibit B has a map reflecting these wells within a one mile radius of the proposed well.

#### 4. <u>Location of Production Facilities</u>:

- a. All permanent structures will be painted a flat, non-reflective Desert Brown or Carlsbad Canyon to match the standard environmental colors. All facilities will be painted within six months of installation. Facilities required to comply with the Occupational Safety and Health Act (OSHA) may be excluded.
- b. Site security guidelines identified in 43 CFR 3163.7-5 and Onshore Oil and Gas Order No. 3 will be adhered to.
- c. A gas meter run will be constructed and located on lease within 500 feet of the wellhead. Meter runs will be housed and/or fenced. All gas production and measurement shall comply with the provisions of 43 CFR 3162. 7-3, Onshore Oil and Gas Order No. 5, and American Gas Association (AGA) Report No. 3.

- d. A tank battery will be constructed on this lease, it will be surrounded by a dike of sufficient capacity to contain the storage capacity of the largest tank. All loading lines and valves will be placed inside the berm surrounding the tank battery. All liquid hydrocarbons production and measurement shall conform to the provisions of 43 CFR 3162.7-3 and Onshore Oil and Gas Order No. 4 and Onshore Oil and Gas Order No. 5 for natural gas production and measurement.
- e. Any necessary pits will be properly fenced to prevent any wildlife and livestock entry.
- f. All access roads will be maintained as necessary to prevent erosion and accommodate year-round traffic. The road will be maintained in a safe useable condition.
- g. The site will require periodic maintenance to ensure that drainages are kept open and free of debris, ice, and snow, and that surfaces are properly treated to reduce erosion, fugitive dust, and impacts to adjacent areas.
- h. A gas pipeline is associated with this application and is being applied for at this time. The proposed gas pipeline corridor will leave the southeast side of the well site and traverse 1,718' south to the existing LCU pipeline corridor.
- i. The new gas pipeline will be a 10" or less steel surface line within a 20' wide utility corridor. The use of the proposed well site and access roads will facilitate the staging of the pipeline construction. A new pipeline length of approximately 1,718' is associated with this well.
- j. Dominion intends on installing the pipeline on the surface by welding many joints into long lengths, dragging the long lengths into position and then completing a final welding pass to join the long lengths together. Dominion intends on connecting the pipeline together utilizing conventional welding technology.

#### 5. Location and Type of Water Supply:

a. The location and type of water supply has been addressed as number 11 within the previous drilling plan information.

#### 6. Source of Construction Material:

- a. The use of materials will conform to 43 CFR 3610.2-3.
- b. No construction materials will be removed from Ute Tribal or BLM lands.
- c. If any gravel is used, it will be obtained from a state approved gravel pit.

#### Methods of Handling Waste Disposal:

- All wastes associated with this application will be contained and disposed of utilizing approved facilities.
- b. Drill cuttings will be contained and buried on site.
- The reserve pit will be located outboard of the location and along the southwest side of the pad.

- d. The reserve pit will be constructed so as not to leak, break, or allow any discharge.
- e. The reserve pit will be lined with 12 mil minimum thickness plastic nylon reinforced liner material. The liner will overlay a felt liner pad only if rock is encountered during excavation. The pit liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash, scrap pipe, etc., that could puncture the liner will be disposed of in the pit. Pit walls will be sloped no greater than 2:1. A minimum 2-foot freeboard will be maintained in the pit at all times during the drilling and completion operation.
- f. The reserve pit has been located in cut material. Three sides of the reserve pit will be fenced before drilling starts. The fourth side will be fenced as soon as drilling is completed, and shall remain until the pit is dry. After the reserve pit has dried, all areas not needed for production will be rehabilitated.
- g. No chemicals subject to reporting under SARA Title III (hazardous materials) in an amount greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completion of the well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completion of the well.
- h. Trash will be contained in a trash cage and hauled away to an approved disposal site as necessary but no later than at the completion of drilling operations. The contents of the trash container will be hauled off periodically to the approved Uintah County Landfill near Vernal, Utah.
- Produced fluids from the well other than water will be produced into a test tank until such time as construction of production facilities is completed. Any spills of oil, gas, salt water or other produced fluids will be cleaned up and removed.
- j. After initial clean-up, a 400 bbl tank will be installed to contain produced waste water. This water will be transported from the tank to an approved Dominion disposal well for disposal.
- k. Produced water from the production well will be disposed of at the RBU 13-11F or RBU 16-19F disposal wells in accordance with Onshore Order #7.
- Any salts and/or chemicals, which are an integral part of the drilling system, will be disposed
  of in the same manner as the drilling fluid.
- m. Sanitary facilities will be on site at all times during operations. Sewage will be placed in a portable chemical toilet and the toilet replaced periodically utilizing a licensed contractor to transport by truck the portable chemical toilet so that its contents can be delivered to the Vernal Wastewater Treatment Facility in accordance with state and county regulations.

#### 8. <u>Ancillary Facilities</u>:

 Garbage Containers and Portable Toilets are the only ancillary facilities proposed in this application.

#### 9. Well Site Layout: (See Exhibit B)

- a. The well will be properly identified in accordance with 43 CFR 3162.6.
- b. Access to the well pad will be from the west.
- c. The pad and road designs are consistent with BLM specification
- d. A pre-construction meeting with responsible company representative, contractors, and the BLM will be conducted at the project site prior to commencement of surface-disturbing activities. The pad and road will be construction-staked prior to this meeting.
- e. The pad has been staked at its maximum size of 355' X 200'; however it will be constructed smaller if possible, depending upon rig availability. Should the layout change, this application will be amended and approved utilizing a sundry notice.
- f. All surface disturbing activities, will be supervised by a qualified, responsible company representative who is aware of the terms and conditions of the APD and specifications in the approved plans.
- g. All cut and fill slopes will be such that stability can be maintained for the life of the activity.
- h. Diversion ditches will be constructed as shown around the well site to prevent surface waters form entering the well site area.
- The site surface will be graded to drain away from the pit to avoid pit spillage during large storm events.
- j. The stockpiled topsoil (first 6 inches or maximum available) will be stored in a windrow on the uphill side of the location to prevent any possible contamination. All topsoil will be stockpiled for reclamation in such a way as to prevent soil loss and contamination.
- k. Pits will remain fenced until site cleanup.
- 1. The blooie line will be located at least 100 feet from the well head.
- m. Water injection may be implemented if necessary to minimize the amount of fugitive dust.

#### 10. Plans for Restoration of the Surface (Interim Reclamation and Final Reclamation):

- a. Site reclamation for a producing well will be accomplished for portions of the site not required for the continued operation of the well.
- b. Upon well completion, any hydrocarbons in the pit shall be removed in accordance with 43 CFR 3162.7-1. Once the reserve pit is dry, the plastic nylon reinforced liner shall be torn and perforated before backfilling of the reserve pit. The reserve pit and that portion of the location not needed for production facilities/operations will be re-contoured to the approximate natural contours.
- c. Following BLM published Best Management Practices the interim reclamation will be completed within 90 days of completion of the well to reestablish vegetation, reduce dust and erosion and compliment the visual resources of the area.
  - a. All equipment and debris will be removed from the area proposed for interim

reclamation and the pit area will be backfilled and re-contoured.

4. Rice Grass

b. The area outside of the rig anchors and other disturbed areas not needed for the operation of the well will be re-contoured to blend with the surrounding area and reseeded at 12 lbs /acre with the following native grass seeds:

Crested Wheat Grass
 Western Wheat Grass
 Needle and Thread Grass
 (3 lbs / acre)
 (3 lbs / acre)
 (3 lbs / acre)

c. Reclaimed areas receiving incidental disturbance during the life of the producing well will be re-contoured and reseeded as soon as practical.

(3 lbs / acre)

- d. The Operator will control noxious weeds along access road use authorizations, pipeline route authorizations, well sites, or other applicable facilities by spraying or mechanical removal. A list of noxious weeds may be obtained from the BLM or the appropriate County Extension Office. On BLM administered land, it is required that a Pesticide Use Proposal be submitted and approved prior to the application of herbicides, pesticides or possibly hazardous chemicals.
- e. Prior to final abandonment of the site, all disturbed areas, including the access road, will be scarified and left with a rough surface. The site will then be seeded and/or planted as prescribed by the BLM. The BLM recommended seed mix will be detailed within their approval documents.

#### 11. Surface and Mineral Ownership:

- a. Surface Ownership Federal under the management of the Bureau of Land Management Vernal Field Office, 170 South 500 East, Vernal, Utah 84078; 435-781-4400.
- b. Mineral Ownership Federal under the management of the Bureau of Land Management Vernal Field Office, 170 South 500 East, Vernal, Utah 84078; 435-781-4400.

#### 12. Other Information:

- a. AIA Archaeological will conduct a Class III archeological survey. A copy of the pending report will be submitted under separate cover to the appropriate agencies by AIA Archaeological.
- b. Alden Hamblin will conduct a paleontological survey. A copy of the pending report will be submitted under separate cover to the appropriate agencies by Alden Hamblin.
- c. Our understanding of the results of the onsite inspection are:
  - a. No Threatened and Endangered flora and fauna species were found during the onsite inspection.


#### 13. Operator's Representative and Certification


Title	Name	Office Phone
Company Representative (Roosevelt)	Ken Secrest	1-435-722-4521
Company Representative (Oklahoma)	Carla Christian	1-405-749-5263
Agent for Dominion	Don Hamilton	1-435-637-4075

#### Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exists; that the statements made in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Dominion Exploration & Production, Inc. and its contractors and subcontractors in conformity with this APD package and the terms and conditions under which it is approved. I also certify responsibility for the operations conducted on that portion of the leased lands associated with this application, with bond coverage being provided under Dominion's BLM bond. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

Signature: Don Hamilton Date: 4-28-06





# DOMINION EXPLR. & PROD., INC.

LCU #9-9H, #7-9H, & #8-9H LOCATED IN UINTAH COUNTY, UTAH **SECTION 9, T11S, R20E, S.L.B.&M.** 




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

**CAMERA ANGLE: NORTHEASTERLY** 




PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

**CAMERA ANGLE: SOUTHERLY** 





Uintah Engineering & Land Surveying 85 South 200 East Vernal, Utah 84078 435-789-1017 uels@uelsinc.com


**LOCATION PHOTOS** 


02 11 06 MONTH DAY YEAR

TAKEN BY: N.H. DRAWN BY: C.P. REVISED: 02-21-06











# DOMINION EXPLR. & PROD., INC. LCU #9-9, #7-9, & #8-9 SECTION 9, T11S, R20E, S.L.B.&M.

PROCEED IN A WESTERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 14.0 MILES TO THE JUNCTION OF STATE HIGHWAY 88; EXIT LEFT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 17.0 MILES TO OURAY, UTAH; PROCEED IN A SOUTHERLY, THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 9.1 MILES ON THE SEEP RIDGE ROAD TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH; TURN RIGHT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 2.8 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHWEST; TURN LEFT AND PROCEED IN A SOUTHWESTERLY, THEN SOUTHERLY DIRECTION APPROXIMATELY 4.6 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHWEST; TURN RIGHT AND PROCEED IN A SOUTHWESTERLY DIRECTION APPROXIMATELY 0.45 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTH; TURN RIGHT AND PROCEED IN A NORTHERLY DIRECTION APPROXIMATELY 0.6 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING TWO-TRACK ROAD TO THE NORTHWEST; TURN RIGHT AND PROCEED IN A NORTHWESTERLY DIRECTION APPROXIMATELY 0.3 MILES TO THE BEGINNING OF THE PROPOSED ACCESS FOR THE #10-28F TO THE NORTHWEST; FOLLOW ROAD FLAGS IN A NORTHWESTERLY, THEN WESTERLY DIRECTION APPROXIMATELY 1.2 MILES TO THE BEGINNING OF THE PROPOSED ACCESS TO THE SOUTH; FOLLOW ROAD FLAGS IN A SOUTHERLY DIRECTION APPROXIMATELY 1.6 MILES TO THE PROPOSED LOCATION.


TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 51.65 MILES.





# WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 05/03/2006	API	NO. ASSIG	NED: 43-047	-38075
WELL NAME: LCU 7-9H  OPERATOR: DOMINION EXPL & PROD ( N1095 )  CONTACT: DON HAMILTON	PHONE	NUMBER:	435-650-1886	5
PROPOSED LOCATION:	INSPE	CT LOCATN	BY: /	/
NWSE 09 110S 200E	Tech	Review	Initials	Date
SURFACE: 2624 FSL 1404 FEL BOTTOM: 1900 FNL 1950 FEL	Engin	eering		• 1993
COUNTY: UINTAH	Geolo	gy		
LATITUDE: 39.87490 LONGITUDE: -109.6790 UTM SURF EASTINGS: 612974 NORTHINGS: 44144	Surfa	.ce		<del></del>
FIELD NAME: UNDESIGNATED ( 2  LEASE TYPE: 1 - Federal	- <del></del>		1	
LEASE TYPE: 1 - Federal  LEASE NUMBER: UTU-76265  SURFACE OWNER: 1 - Federal		SED FORMAT		D
Plat  Plat  Bond: Fed[1] Ind[] Sta[] Fee[]  (No. 76S630500330  Potash (Y/N)  Oil Shale 190-5 (B) or 190-3 or 190-13  Water Permit  (No. 43-10447  RDCC Review (Y/N)  (Date:  Date:  Pee Surf Agreement (Y/N)  Intent to Commingle (Y/N)	R649-3- Drillin Board Eff Da Siting	2. Gener 460 From Qt 3. Excep g Unit Cause No: te:	tr/Qtr & 920' Be	
STIPULATIONS: 1- Coles Approx	)			





#### State of Utah

#### Department of Natural Resources

MICHAEL R. STYLER Executive Director

Division of Oil, Gas & Mining

JOHN R. BAZA Division Director

JON M. HUNTSMAN, JR. Governor

GARY R. HERBERT Lieutenant Governor

May 9, 2006

Dominion Exploration & Production, Inc. 14000 Quail Springs Parkway, Suite 600 Oklahoma City, OK 73134

Re: Little Canyon Unit 7-9H Well, Surface Location 2624' FSL, 1404' FEL, NW SE, Sec. 9, T. 11 South, R. 20 East, Bottom Location 1900' FNL, 1950' FEL, SW NE, Sec. 9, T. 11 South, R. 20 East, Uintah County, Utah

#### Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-38075.

Sincerely,

Gil Hunt

**Associate Director** 

pab

**Enclosures** 

cc:

**Uintah County Assessor** 

Bureau of Land Management, Vernal District Office

Operator:	Dominion Exploration & Production, Inc.						
Well Name & Number	Little Canyon Unit 7-9H						
API Number:	43-047-38075 UTU-76265						
Lease:							
Surface Location: NW SE	Sec. 9	<b>T.</b> 11 South	<b>R.</b> <u>20 East</u>				
Bottom Location: SW NE	<b>Sec.</b> 9	T. 11 South	R. 20 East				

#### **Conditions of Approval**

#### 1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

#### 2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dan Jarvis at (801) 538-5338

#### 3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.
- 6. In accordance with Utah Admin. R.649-3-11, Directional Drilling, the operator shall submit a complete angular deviation and directional survey report to the Division within 30 days following completion of the well.

Form 3160-5

(Augury 1999) 1	UNITED STATES MENT OF THE INTE	DI∩D	MITTER		FORM APPROVED OMB No. 1004-0135	
BUREAU	J OF LAND MANAGEM	ENT A SAN		sā.	Expires: November 30, 2000	
			M. Prairie	5. Lease Seri		
	CES AND REPORTS				J-76265	
	of for proposals to drill of			6. If Indian, A	Allottee or Tribe Name	
	Form 3160-3 (APD) for	······································		7 If Unit or (	CA/Agreement, Name and/or No	
SUBMITINTRIPEI	ATB - Other Instruction	ns on reverse stag				<b>'.</b>
1. Type of Well				8. Well Name	e Canyon Unit	
Oil Well X Gas Well	Other					
2. Name of Operator					J 7-9H	
Dominion Exploration & Production	nn Inc			9. API Well 1	No.	
3a. Address	71, 1110.	3b. Phone No. (inclu	de area code)	43-0	047-38075	
14000 Quail Springs Pkwy, Ste 6	00, OKC, OK 73134	(405) 749-52	37	10. Field and	l Pool, or Exploratory Area	
4. Location of Well (Footage, Sec., T., R., M.,	, or Survey Description)				ural Buttes	
SHL: 2624' FSL & 1404' FEL, NW	/ SE, Sec. 9-11S-20E			11. County o	or Parish, State	
BHL: 1900' FNL & 1950' FEL, SW	/ NE, Sec. 9-11S-20E			Uint	ah, UT	
12. CHECK APPROPRIATE	BOX(ES) TO INDICAT	E NATURE OF N	NOTICE, REP	ORT OR O	THER DATA	
TYPE OF SUBMISSION		TYPE	OF ACTION			
Notice of Intent	Acidize	Deepen	Production (S	tart/Resume)	Water Shut-Off	
	Altering Casing	Fracture Treat	Reclamation		Well Integrity	
Subsequent Report	Casing Repair	New Construction	Recomplete		X Other	
	Change Plans	Plug and Abandon	Temporarily /	Abandon	APD Expiration	
Final Abandonment Notice	Convert to Injection	Plug Back	Water Dispos	al		
13 Describe Proposed or Completed Oper If the proposal is to deepen directionall Attach the Bond under which the work following completion of the involved optesting has been completed. Final Aldetermined that the site is ready for final completed.	v or recomplete horizontally, give will be performed or provide the erations. If the operation results bandonment Notices shall be filed	e subsurface locations Bond No. on file with in a multiple completion	and measured an BLM/BIA. Requ on or recompletion	d true vertical ired subsequer in a new inter	depths of all pertinent markers a nt reports shall be filed within 30 val, a Form 3160-4 shall be file	nd zones. davs d once
		Dominion respec	tfully reques	ts a one ve	ear extension.	
The State APD for this well	oxpiroo may o, zoor. z	Approve	vision of	<b>,</b>		
			vision of and Mining	1		
		Oii, Gas a	TI ICI TATIL III I		e e	
		Date: <u>Co</u> -	04-03		COPY SENT TO OFERAL CARD 6:4-6 Tollate 2007	50 
14. I hereby certify that the foregoing is true a	and correct		7			
Barbara Lester			Title	Regula	atory Specialist	
Signature A A A A A	Steen		Date	5/22/20	007	
CONTRACTOR THE	SSPACE FOR FEDE	RAL OR STAT	E OFFICE	USE		200

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Office

**RECEIVED** MAY 2 4 2007

# Application for Permit to Drill Request for Permit Extension

Validation
(this form should accompany the Sundry Notice requesting permit extension)

API: 43-047-38075 Well Name: LCU 7-9H	Percentage of the Control of the Con	
Location: 2624' FSL & 140 Company Permit Issued to Date Original Permit Issued		luction, Inc.
The undersigned as owner wabove, hereby verifies that the approved application to drill,	ne information as submitted	in the previously
Following is a checklist of so verified.	me items related to the app	lication, which should be
If located on private land, has agreement been updated? Y	•	so, has the surface
Have any wells been drilled i the spacing or siting requiren		
Has there been any unit or of permitting or operation of this	<del>-</del>	
Have there been any change of-way, which could affect the		
Has the approved source of	water for drilling changed?	Yes□No☑
Have there been any physica which will require a change in evaluation? Yes□No☑		
Is bonding still in place, which	h covers this proposed well	? Yes☑No□
Signature Stud	<u>u</u> -	5/22/2007 Date
Title: Regulatory Specialist		
Representing: Dominion Explor	ration & Production, Inc.	RECEIVED MAY 2 4 2007

## Division of Oil, Gas and Mining

COMMENTS:

## **OPERATOR CHANGE WORKSHEET**

1. DJJ

						2. CDW				
X - Change of Operator (Well Sold)		Operator Name Change/Merger								
The operator of the well(s) listed below has char	iged,	effectiv	ve:	7/1/2007						
FROM: (Old Operator):	*.			TO: ( New Operator):						
N1095-Dominion Exploration & Production, Inc				N2615-XTO Energy Inc						
14000 Quail Springs Parkway, Suite 600					uston St					
Oklahoma City, OK 73134					orth, TX 76	5102				
•										
Phone: 1 (405) 749-1300				Phone: 1 (817)	870-2800					
CA No.	ı		<del></del>	Unit:						
WELL NAME	SEC	TWN	RNG	API NO	ENTITY	LEASE TYPE	WELL	WELL		
					NO		TYPE	STATUS		
SEE ATTACHED LIST		<u></u>	<u> </u>							
OPED ATOD OILANGES DOCUMENT	1 A 7818	ON								
OPERATOR CHANGES DOCUMENT	AII	ON								
Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation w	00 #00	airead f	Fam the	FODMED one	motor on:	8/6/2007				
<ol> <li>(R649-8-10) Sundry or legal documentation was received from th</li> <li>The new company was checked on the <b>Department of Commerce</b></li> </ol>			•		8/6/2007		0/5/000			
· · · · · · · · · · · · · · · · · · ·			•	-			8/6/2007			
4a. Is the new operator registered in the State of				_Business Numb	er:	5655506-0143				
4b. If <b>NO</b> , the operator was contacted contacted										
5a. (R649-9-2)Waste Management Plan has been r				IN PLACE						
5b. Inspections of LA PA state/fee well sites comp	lete o	n:		n/a	_					
5c. Reports current for Production/Disposition & S	Sundr	ies on:		ok	_					
6. Federal and Indian Lease Wells: The Bl	LM ar	nd or th	e BIA	has approved the	merger, na	me change,				
or operator change for all wells listed on Feder	al or	Indian	leases o	on:	BLM	_	BIA	_		
7. Federal and Indian Units:								-		
The BLM or BIA has approved the successo	r of u	nit ope	rator fo	r wells listed on:						
8. Federal and Indian Communization Ag	green	nents (	("CA"	<b>'):</b>						
The BLM or BIA has approved the operator	for al	l wells	listed v	vithin a CA on:						
9. Underground Injection Control ("UIC"	")		The D	ivision has appro	oved UIC F	orm 5, Transfer	of Autho	ority to		
Inject, for the enhanced/secondary recovery un	nit/pro	ject fo	r the w	ater disposal wel	ll(s) listed o	n:				
DATA ENTRY:	-	•		-	• •			•		
1. Changes entered in the Oil and Gas Database	on:			9/27/2007						
2. Changes have been entered on the Monthly O	perat	or Cha	ange Sp	read Sheet on:	-	9/27/2007				
3. Bond information entered in RBDMS on:				9/27/2007						
4. Fee/State wells attached to bond in RBDMS of				9/27/2007						
5. Injection Projects to new operator in RBDMS				9/27/2007						
6. Receipt of Acceptance of Drilling Procedures	tor Al	PD/Nev	w on:		9/27/2007	•				
BOND VERIFICATION:				******						
1. Federal well(s) covered by Bond Number:				UTB000138	-					
<ul><li>2. Indian well(s) covered by Bond Number:</li><li>3a. (R649-3-1) The NEW operator of any state/fe</li></ul>	20 11/2	11(c) 1;c	ted cov	n/a ered by Rond Nu	ımber	104312762				
						104512702				
3b. The <b>FORMER</b> operator has requested a release. The Division sent response by letter on:	se oi i	14011117	mom t	neir bond on:	1/23/2008	•				
	יים איי	[ONI:								
LEASE INTEREST OWNER NOTIFIC			·**	l and infa	va lattan En	om the Dissisies				
4. (R649-2-10) The <b>NEW</b> operator of the fee well of their responsibility to notify all interest owner.					y a letter iro	om the Division				

	STATE OF DEPARTMENT OF NATU					FORM 9
!	DIVISION OF OIL, GA				5. LE/	ASE DESIGNATION AND SERIAL NUMBER:
SUNDRY	NOTICES AND F	EPORTS OF	N WEL	LS	6. IF I	NDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill n	ew wells, significantly deepen existinaterals. Use APPLICATION FOR PE	g wells below current bot	ttom-hole dept	n, reenter plugged wells, or to	7. UN	IT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL		OTHER	such proposal	s.	8. WE	LL NAME and NUMBER:
2. NAME OF OPERATOR:						EE ATTACHED NUMBER:
XTO Energy Inc.	N2615					EE ATTACHED
3. ADDRESS OF OPERATOR: 810 Ho		TE TX ZP 7610	02	PHONE NUMBER: (817) 870-2800		ELD AND POOL, OR WILDCAT: latural Buttes
4. LOCATION OF WELL	FI OIL VVOILIT	AE IX ZIP / O I	<u> </u>	(817) 870-2800		ididiai Dulles
FOOTAGES AT SURFACE: SEE A	.TTACHED				COUN	τγ: <b>Uintah</b>
QTR/QTR, SECTION, TOWNSHIP, RAN	.GE, MERIDIAN:				STATE	: UTAH
11. CHECK APPR	ROPRIATE BOXES TO	O INDICATE NA	ATURE (	OF NOTICE, REP	ORT, C	R OTHER DATA
TYPE OF SUBMISSION				PE OF ACTION		
NOTICE OF INTENT	ACIDIZE		DEEPEN			REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING		FRACTURE			SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR		NEW CONST		닐	TEMPORARILY ABANDON
	CHANGE TO PREVIOUS P	LANS [2]	OPERATOR			TUBING REPAIR
SUBSEQUENT REPORT	CHANGE WELL NAME	님	PLUG AND A	BANDON		VENT OR FLARE WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS			N (START/RESUME)		WATER DISPOSAL WATER SHUT-OFF
Date of work completion:	COMMINGLE PRODUCING	FORMATIONS		ON OF WELL SITE		OTHER:
The same of the sa	CONVERT WELL TYPE			E - DIFFERENT FORMATIO	и N	OTHER.
12. DESCRIBE PROPOSED OR CO	OMPLETED OPERATIONS. CI	early show all pertiner	nt details inc	uding dates, depths, volu	mes, etc.	
Effective July 1, 2007,						:
Dominion Exploration 8 14000 Quail Springs Pa Oklahoma City, OK 73	arkway, Suite 600 📝	N 1095				
James D. Abercrombie Sr. Vice President, Ger	neral Manager - Weste t XTO Energy Inc. is co	onsidered to be	nit the oper			
under the terms and co						
NAME (PLEASE PRINT) Edwin S. F	Ryan, Jr.		TITLE	Sr. Vice Presid	ent - La	nd Administration
SIGNATURE ECLURIO	I hope Il		DATE	7/31/2007		
This space for State use only)	0.000.00	,				RECEIVED
APPROVE	) <u>7 18/110/</u>					AUG 0 6 2007
	)					MOO O COOL

(5/2000)

Carlene Russell

Division of Oil, Gas and Mining

Earlene Russell, Engineering Technician

(See Instructions on Reverse Side)

DIV. OF OIL, GAS & MINING

# STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

### Request to Transfer Application or Permit to Drill

(This form should accompany a Sundry Notice, Form 9, requesting APD transfer)

Well	name:	SEE ATTACH	IED LIST			
API n	iumber:					
Locat	tion:	Qtr-Qtr:	Section:	Township Range		<u></u>
Comp	pany that filed original application:	DOMINION E	&P			
	original permit was issued:					
Comp	pany that permit was issued to:	DOMINION E	E&P			
Check		Desi	ired Action:			
one						
	Transfer pending (unapproved) App					
	The undersigned as owner with legal submitted in the pending Application fowner of the application accepts and a	or Permit to Dril	I, remains valid ar	nd does not require revision. Th	e new	
1	Transfer approved Application for F	Permit to Drill t	o new operator			
	The undersigned as owner with legal information as submitted in the previous revision.	rights to drill on usly approved a	the property as papplication to drill,	ermitted, hereby verifies that the remains valid and does not requ	ıire	
Follo	wing is a checklist of some items re	lated to the ap	plication, which	should be verified.	Yes	No
If loca	ated on private land, has the ownership	changed?		- VALUE OF THE STATE OF THE STA		<b>√</b>
	If so, has the surface agreement been					
	any wells been drilled in the vicinity of rements for this location?		ell which would a	ffect the spacing or siting		1
Have	there been any unit or other agreemer osed well?	nts put in place t	hat could affect th	ne permitting or operation of this		✓
Have	there been any changes to the accessosed location?	route including	ownership or righ	t-of-way, which could affect the		<b>✓</b>
Has t	the approved source of water for drilling	changed?				✓
Have	e there been any physical changes to the from what was discussed at the onsite	e surface locatione evaluation?	on or access route	e which will require a change in		✓
Is bo	nding still in place, which covers this pr	oposed well? B	ond No. 104312	762	✓	
shoul neces	desired or necessary changes to either ld be filed on a Sundry Notice, Form 9, ssary supporting information as require	or amended Ap	plication for Perm	if to Drill, Form 3, as appropriate  TORY COMPLIANCE TECH	transfe e, with	rrec
Signa	ature // / / XTO ENER	GY INC	Date	*		
_	esenting (company name) XTO ENER	GY INC.				

The person signing this form must have legal authority to represent the company or individual(s) to be listed as the new operator on the Application for Permit to Drill.

AUG 3 0 2007

(3/2004)

### N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

api	well_name	qtr_qtr	sec	twp	rng	lease_num	entity	Lease	well	stat
4303930028	SKYLINE U 14-28	SESW	28	140S	060E	UTU-77262		Federal	GW	APD
4303930029	SKYLINE U 8-7	SENE	07	150S	060E	UTU-78415		Federal	GW	APD
4304737195	KC 6-33E	SENW	33	100S	190E	UTU-49522		Federal	OW	APD
4304737196	KC 9-33E	NESE	33	100S	190E	UTU-49522		Federal	OW	APD
4304737197	KC 11-33E	NESW	33	100S	190E	UTU-49522		Federal	OW	APD
4304738075	LCU 7-9H	NWSE	09	110S	200E	UTU-76265		Federal	GW	APD
4304738689	RBU 15-8E	NENE	17	100S	190E	U-013766		Federal	GW	APD
4304738783	KC 14-33E	SESW	33	100S	190E	UTU-49522		Federal	GW	APD
4304738868	LOVE 12-20G	NWSW	20	110S	210E	UTU-076040		Federal	GW	APD
4304738889	KC 9-31E	NESE	31	100S	190E	UTU-81719		Federal	GW	APD
4304738890	KC 13-31E	SWSW	31	100S	190E	UTU-81719		Federal	GW	APD
4304738891	KC 12-33E	NWSW	33	100S	190E	UTU-49522		Federal	GW	APD
4304738948	KC 14-31E	SESW	31	100S	190E	UTU-081719		Federal	GW	APD
4304738949	KC 3-33E	NENW	33	100S	190E	UTU-49522		Federal	GW	APD
4304739051	KC 15-31E	SWSE	31	100S	190E	UTU-81719		Federal	GW	APD
4304739068	KC 7-33E	SWNE	33	100S	190E	UTU-49522		Federal	GW	APD
4304739069	KC 13-33E	SWSW	33	100S	190E	UTU-49522		Federal	GW	APD
4304739070	KC 15-33E	SWSE	33	100S	190E	UTU-49522		Federal	GW	APD
4304739415	WHB 4-5H	NWNW	05	110S	200E	UTU-39223		Federal	GW	APD
4304739416	WHB 12-5H	NWSW	05	110S	200E	UTU-39223		Federal	GW	APD
4304739417	WHB 13-5H	SWSW	05	110S	200E	UTU-39223		Federal	GW	APD
4304739440	WHB 4-8H	NWNW	08	110S	200E	UTU-39223		Federal	GW	APD
4304739441	WHB 5-5H	NWNW	05	110S	200E	UTU-39223		Federal	GW	APD
4304738262	KINGS CYN 9-32E	NESE	32	100S	190E	ML-047059		State	GW	APD
4304738342	LCU 12-12H	NWSW	12	110S	200E	FEE		Fee	GW	APD
4304738378	KINGS CYN 11-32E	NESW	32			ML-047059		State	GW	APD
4304738690	KINGS CYN 11-36D	NESW	36			ML-47058		State	GW	NEW
4304738779	KC 5-36D	SWNW	36	100S	180E	ML-47058		State	GW	APD
4304738781	KC 6-32E	SENW	32	100S	190E	ML-47059		State	GW	APD
4304738782	KC 15-32E	NWSE	32	100S	190E	ML-047059		State	GW	APD
4304738786	AP 11-2J	NESW	02	110S	190E	ML-36213		State	GW	APD
4304738787	AP 13-2J	SWSW	02	110S		ML-36213		State	GW	APD
4304738950	KC 13-32E	SESW	32			ML-047059		State	GW	APD
4304739218	KC 14-32E	SESW	32			ML-047059		State	GW	APD
4304739219	KC 16-32E	SESE	32			ML-047059		State	GW	APD
4304739222	LCU 14-12H	SESW	12	110S	200E	FEE		Fee	GW	APD
4304739315	AP 12-2J	NWSW	02	110S	190E	ML-36213	1	State	GW	NEW

1 09/27/2007

## STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-34350							
SUNDRY	SUNDRY NOTICES AND REPORTS ON WELLS							
Do not use this form for proposals to drill	new wells, significantly despire existing wells below ou interest. Use APPLICATION FOR PERMIT TO DRILL!	rrant bottom-hole dep	iți, resnier plugged wells, or to	7. UNIT	or CA AGREEMENT NAME: Canyon Unit			
1. TYPE OF WELL OIL WELL		torm for such proposi	18.		NAME and NUMBER:			
2. NAME OF OPERATOR:								
XTO Energy, Inc.				9. APIN	738075			
2. ADDRESS OF OPERATOR: P.O. Box 1360	TY Roosevelt STATE UT ZE	,84066	PHONE NUMBER: (435) 722-4521		D AND POOL, OR WILDCAT: B <b>SIgnated</b>			
4. LOCATION OF WELL	SIALE ZE							
FOOTAGES AT SURFACE: 2,624	'FSL & 1,404' FEL			COUNTY	. Uintah			
QTR/QTR, SECTION, TOWNSHIP, RAI	INGE, MERIDIAN: NWSE 9 11S 2	20E S		STATE:	UTAH			
11. CHECK APP	PROPRIATE BOXES TO INDICAT	TE NATURE	OF NOTICE, REP	ORT, OF	OTHER DATA			
TYPE OF SUBMISSION		T	YPE OF ACTION					
☐ NOTICE OF INTENT	ACIDIZE	DEEPEN			REPERFORATE CURRENT FORMATION			
(Submit in Duplicate)	ALTER CABING	FRACTURE			SIDETRACK TO REPAIR WELL			
Approximate date work will start:	CASING REPAIR		TRUCTION		TEMPORARILY ABANDON TUBING REPAIR			
	CHANGE TO PREVIOUS PLANS	OPERATOR PLUGAND		_	VENT OR FLARE			
SUBSEQUENT REPORT	CHANGE TUBING  CHANGE WELL NAME	PLUG BAC		land.	WATER DISPOSAL			
(Submit Original Form Only)	CHANGE WELL STATUS	<u> </u>	ON (START/RESUME)		WATER SHUT-OFF			
Date of work completion:	COMMINGLE PRODUCING FORMATIONS		ON OF WELL SITE		OTHER: Permit Extension			
	CONVERTWELLTYPE		TE - DIFFERENT FORMATIC		On Dr. 1 divine Distance.			
XTO Energy, Inc. hereby	1 11		rmit for the referen / the n of					
COPY SENT TO OPERATOR  Data: 5 - 20 - 2008  Initials: KS	Date: By: <u>}</u>	05-1L		- morne -				
NAME (PLEASE PRINT) Kendell J	lohnson OU Physon	TIT	5/0/2008	Energy,	Inc.			
(This cases for their ray cub)	The state of the s							



4304738075

API:

Well Name: LCU 7-9H Location: 2,624' FSL & 1,404' FEL, NW SE, Sec. 9, 11S-20E Company Permit issued to: XTO Energy, Inc. Date Original Permit issued: 5/9/2006
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.
Following is a checklist of some items related to the application, which should be verified.
If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes⊡No☑
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes□ No ☑
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□ No ☑
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes□No ☑
Has the approved source of water for drilling changed? Yes⊡No☑
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
Is bonding still in place, which covers this proposed well? Yes ☑No□
Signature Signature 5/9/2008  Date
Title: Kendell Johnson
Representing: XTO Energy, Inc.

	STATE OF UTAH				FORM 9
ı	DEPARTMENT OF NATURAL RESOURG DIVISION OF OIL, GAS, AND MI		ì		SE DESIGNATION AND SERIAL NUMBER: 76265
	Y NOTICES AND REPORTS			6. IF I	NDIAN, ALLOTTEE OR TRIBE NAME:
	als to drill new wells, significantly deeper gged wells, or to drill horizontal laterals.			7.UNI	or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well				8. WEL	L NAME and NUMBER: '-9H
2. NAME OF OPERATOR: XTO ENERGY INC					NUMBER: 7380750000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 87	7410 505 333-3159 Ex		HONE NUMBER:		<b>.D and POOL or WILDCAT:</b> SIGNATED
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2624 FSL 1404 FEL				UINT	
Qtr/Qtr: NWSE Section: 09	<b>P, RANGE, MERIDIAN:</b> Township: 11.0S Range: 20.0E Meridian:	ı: S		STATE UTAH	
11.	CK APPROPRIATE BOXES TO INDICA	ATE NA	ATURE OF NOTICE, REPOR	T, OR OT	HER DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
✓ NOTICE OF INTENT	ACIDIZE	A	ALTER CASING		CASING REPAIR
Approximate date work will start: 5/9/2011	CHANGE TO PREVIOUS PLANS		CHANGE TUBING		CHANGE WELL NAME
	☐ CHANGE WELL STATUS ☐ DEEPEN		COMMINGLE PRODUCING FORMATIONS	s ∟	CONVERT WELL TYPE  NEW CONSTRUCTION
SUBSEQUENT REPORT Date of Work Completion:	OPERATOR CHANGE		PLUG AND ABANDON		PLUG BACK
	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE		RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL		TEMPORARY ABANDON
	☐ TUBING REPAIR	□ v	/ENT OR FLARE		WATER DISPOSAL
☐ DRILLING REPORT	☐ WATER SHUTOFF	□ s	SI TA STATUS EXTENSION	1	APD EXTENSION
Report Date:	☐ WILDCAT WELL DETERMINATION	□ 0	OTHER	ОТН	IER:
12. DESCRIBE PROPOSED OR CO	MPLETED OPERATIONS. Clearly show all pe	ertinent	t details including dates, depths	, volumes,	etc.
	sts a one year extension on				
	referenced well.				Approved by the Utah Division of
					I, Gas and Mining
					_
				Date:_	May 25, 2010
				By: <u>\( \frac{1}{2} \)</u>	x00cy/ll
					22
NAME (PLEASE PRINT) Eden Fine	PHONE NUMBER 505 333-3664	R	TITLE Permitting Clerk		
SIGNATURE N/A			<b>DATE</b> 5/21/2010		



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047380750000

**API:** 43047380750000

Well Name: LCU 7-9H

Location: 2624 FSL 1404 FEL QTR NWSE SEC 09 TWNP 110S RNG 200E MER S

Company Permit Issued to: XTO ENERGY INC

**Date Original Permit Issued: 5/9/2006** 

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that req

informat uire revis	tion as submitted in sion. Following is a	n the previou checklist of	sly approved a some items rela	pplication to d ated to the ap <sub>l</sub>	rill, remai plication, v	ns valid and do which should b	es not e verified.
	nted on private land ed? 📗 Yes 🌘 N		nership change	ed, if so, has th	e surface	agreement bee	en
	any wells been dril requirements for t				ich would	affect the spac	ing or
	nere been any unit s proposed well?		eements put in   No	place that cou	d affect th	ne permitting o	r operation
	there been any cha the proposed locat			cluding owners	ship, or rig	htof- way, whi	ch could
• Has th	ne approved source	of water for	drilling change	ed? 📗 Yes (	No No		
	there been any phy e in plans from wh						luire a
• Is bon	nding still in place,	which covers	this proposed	well? 📵 Ye	s 🗐 No	Approved by Utah Divisio il, Gas and M	n of
nature:	Eden Fine	Date:	5/21/2010				
Title:	Permitting Clerk Re	presentina: 🗅	XTO ENERGY INC		Date:	May 25, 20	10
		,			F	20201N	

Sig

	STATE OF UTAH				FORM 9
ı	DEPARTMENT OF NATURAL RESOURG DIVISION OF OIL, GAS, AND MI		ì		SE DESIGNATION AND SERIAL NUMBER: 76265
	Y NOTICES AND REPORTS			6. IF I	NDIAN, ALLOTTEE OR TRIBE NAME:
	als to drill new wells, significantly deeper gged wells, or to drill horizontal laterals.			7.UNI	or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well				8. WEL	L NAME and NUMBER: '-9H
2. NAME OF OPERATOR: XTO ENERGY INC					NUMBER: 7380750000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 87	7410 505 333-3159 Ex		HONE NUMBER:		<b>.D and POOL or WILDCAT:</b> SIGNATED
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2624 FSL 1404 FEL				UINT	
Qtr/Qtr: NWSE Section: 09	<b>P, RANGE, MERIDIAN:</b> Township: 11.0S Range: 20.0E Meridian:	ı: S		STATE UTAH	
11.	CK APPROPRIATE BOXES TO INDICA	ATE NA	ATURE OF NOTICE, REPOR	T, OR OT	HER DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
✓ NOTICE OF INTENT	ACIDIZE	A	ALTER CASING		CASING REPAIR
Approximate date work will start: 5/9/2011	CHANGE TO PREVIOUS PLANS		CHANGE TUBING		CHANGE WELL NAME
	☐ CHANGE WELL STATUS ☐ DEEPEN		COMMINGLE PRODUCING FORMATIONS	s ∟	CONVERT WELL TYPE  NEW CONSTRUCTION
SUBSEQUENT REPORT Date of Work Completion:	OPERATOR CHANGE		PLUG AND ABANDON		PLUG BACK
	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE		RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL		TEMPORARY ABANDON
	☐ TUBING REPAIR	□ v	/ENT OR FLARE		WATER DISPOSAL
☐ DRILLING REPORT	☐ WATER SHUTOFF	□ s	SI TA STATUS EXTENSION	1	APD EXTENSION
Report Date:	☐ WILDCAT WELL DETERMINATION		OTHER	ОТН	IER:
12. DESCRIBE PROPOSED OR CO	MPLETED OPERATIONS. Clearly show all pe	ertinent	t details including dates, depths	, volumes,	etc.
	sts a one year extension on				
	referenced well.				Approved by the Utah Division of
					I, Gas and Mining
					_
				Date:_	May 25, 2010
				By: <u>\( \frac{1}{2} \)</u>	x00cy/ll
					22
NAME (PLEASE PRINT) Eden Fine	PHONE NUMBER 505 333-3664	R	TITLE Permitting Clerk		
SIGNATURE N/A			<b>DATE</b> 5/21/2010		



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047380750000

**API:** 43047380750000

Well Name: LCU 7-9H

Location: 2624 FSL 1404 FEL QTR NWSE SEC 09 TWNP 110S RNG 200E MER S

Company Permit Issued to: XTO ENERGY INC

**Date Original Permit Issued: 5/9/2006** 

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that req

informat uire revis	tion as submitted in sion. Following is a	n the previou checklist of	sly approved a some items rela	pplication to d ated to the ap <sub>l</sub>	rill, remai plication, v	ns valid and do which should b	es not e verified.
	nted on private land ed? 📗 Yes 🌘 N		nership change	ed, if so, has th	e surface	agreement bee	en
	any wells been dril requirements for t				ich would	affect the spac	ing or
	nere been any unit s proposed well?		eements put in   No	place that cou	d affect th	ne permitting o	r operation
	there been any cha the proposed locat			cluding owners	ship, or rig	htof- way, whi	ch could
• Has th	ne approved source	of water for	drilling change	ed? 📗 Yes (	No No		
	there been any phy e in plans from wh						luire a
• Is bon	nding still in place,	which covers	this proposed	well? 📵 Ye	s 🗐 No	Approved by Utah Divisio il, Gas and M	n of
nature:	Eden Fine	Date:	5/21/2010				
Title:	Permitting Clerk Re	presentina: 🗅	XTO ENERGY INC		Date:	May 25, 20	10
		,			F	20201N	

Sig

Sundry Number: 15004 API Well Number: 43047380750000

	STATE OF UTAH	-0	FORM 9
	DEPARTMENT OF NATURAL RESOURC DIVISION OF OIL, GAS, AND MII		<b>5.LEASE DESIGNATION AND SERIAL NUMBER:</b> UTU-76265
SUNDF	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	sals to drill new wells, significantly deepen igged wells, or to drill horizontal laterals. U		7.UNIT or CA AGREEMENT NAME: LITTLE CANYON
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: LCU 7-9H
2. NAME OF OPERATOR: XTO ENERGY INC		9. API NUMBER: 43047380750000	
<b>3. ADDRESS OF OPERATOR:</b> 382 Road 3100 , Aztec, NM, 8		NE NUMBER:	9. FIELD and POOL or WILDCAT: HILL CREEK
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2624 FSL 1404 FEL	D DANCE MEDIDIAN.		COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NWSE Section: 09	Township: 11.0S Range: 20.0E Meridian:	S	STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REP	ORT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	☐ ACIDIZE	☐ ALTER CASING	☐ CASING REPAIR
Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS	CHANGE TUBING	☐ CHANGE WELL NAME
5/10/2012	☐ CHANGE WELL STATUS	☐ COMMINGLE PRODUCING FORMAT	IONS CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	☐ FRACTURE TREAT	☐ NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	☐ PLUG AND ABANDON	☐ PLUG BACK
_	PRODUCTION START OR RESUME	☐ RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	☐ SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
	☐ TUBING REPAIR	☐ VENT OR FLARE	WATER DISPOSAL
☐ DRILLING REPORT	☐ WATER SHUTOFF	☐ SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:
	MPLETED OPERATIONS. Clearly show all per equests a one (1) year extens referenced well.		
NAME (PLEASE PRINT) Krista Wilson	<b>PHONE NUMBER</b> 505 333-3647	TITLE Permitting Tech	
SIGNATURE N/A		DATE 5/10/2011	

Sundry Number: 15004 API Well Number: 43047380750000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047380750000

**API:** 43047380750000

Well Name: LCU 7-9H

Location: 2624 FSL 1404 FEL QTR NWSE SEC 09 TWNP 110S RNG 200E MER S

Company Permit Issued to: XTO ENERGY INC

**Date Original Permit Issued: 5/9/2006** 

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

<ul> <li>If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No</li> </ul>
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?   Yes  No
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?</li> <li>Yes </li> <li>No</li> </ul>
• Has the approved source of water for drilling changed? 🔵 Yes 🌘 No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well?   Yes   No

**Signature:** Krista Wilson **Date:** 5/10/2011

Title: Permitting Tech Representing: XTO ENERGY INC

Sundry Number: 25451 API Well Number: 43047380750000

			FORM 9
	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCE	FS	
	DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-76265
SUNDF	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	oposals to drill new wells, significantly reenter plugged wells, or to drill horizon for such proposals.		7.UNIT or CA AGREEMENT NAME: LITTLE CANYON
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: LCU 7-9H
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047380750000
3. ADDRESS OF OPERATOR: 382 Road 3100, Aztec, N	M, 87410 505 333-314	PHONE NUMBER: 5 Ext	9. FIELD and POOL or WILDCAT: HILL CREEK
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2624 FSL 1404 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNS	HIP, RANGE, MERIDIAN: 09 Township: 11.0S Range: 20.0E Meric	lian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
2/28/2013	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	□ NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	LI TEMPORARY ABANDON
	TUBING REPAIR	☐ VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show a	all pertinent details including dates, o	depths, volumes, etc.
XTO Energy reques	sts a one (1) year extension o	of the State APD for the	Approved by the
	referenced well.		Utah Division of Oil, Gas and Mining
			Date: May 07, 2012
			By: Bally
NAME (PLEASE PRINT)	PHONE NUMB		
Richard L. Redus	303 397-3712	Regulatory	
SIGNATURE N/A		<b>DATE</b> 5/4/2012	

Sundry Number: 25451 API Well Number: 43047380750000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047380750000

API: 43047380750000

Well Name: LCU 7-9H

Location: 2624 FSL 1404 FEL QTR NWSE SEC 09 TWNP 110S RNG 200E MER S

Company Permit Issued to: XTO ENERGY INC

Date Original Permit Issued: 5/9/2006

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?  Yes  No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of thi proposed well?  Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? ( Yes ( No
• Has the approved source of water for drilling changed?   Yes  No
• Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?   Yes  No
• Is bonding still in place, which covers this proposed well?   Yes   No
nature: Pichard I Pedus Date: 5/4/2012

Signature: Richard L. Redus **Date:** 5/4/2012

Title: Regulatory Representing: XTO ENERGY INC



## State of Utah

#### DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER

Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

May 16, 2013

Rick Redus XTO Energy Inc. P.O. Box 6501 Englewood, CO 80155 43 047 38075 LUU 7-9H 11S 20E 9

Re:

APDs Rescinded for XTO Energy Inc., Uintah County

Dear Mr. Redus:

Enclosed find the list of APDs that you requested to be rescinded. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded, effective May 16, 2013.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Diana Mason

**Environmental Scientist** 

cc:

Well File

Bureau of Land Management, Vernal



	43-047-37997	LCU 9-10H
	43-047-38069	LCU 8-35F
	43-047-38070	LCU 12-35F
	43-047-38071	LCU 15-35F
	43-047-38072	LCU 16-35F
	43-047-38073	LCU 1-1H
	43-047-38074	LCU 9-9H
	43-047-38075	LCU 7-9H
•	43-047-39160	LCU 4-3H
	43-047-39220	LCU 9-35F
	43-047-39221	LCU 7-35F
	43-047-39224	LCU 14-10H
	43-047-39225	LCU 3-10H
	43-047-39999	BPU 4-13H
	43-047-40001	BPU 1-14H
	43-047-40002	BPU 7-14H
	43-047-40003	BPU 8-14H
	43-047-40004	BPU 2-15H
	43-047-40005	BPU 6-15H
	43-047-40006	BPU 12-15H
	43-047-40007	BPU 4-22H
	43-047-40009	BPU 6-23H